

MOTOR EQUIPMENT UTILIZATION RECORD

DATE (YYMMDD) <i>Sept 28 - 2001</i>	TYPE OF EQUIPMENT 90 Chevy Box Truck	REGISTRATION NO./SERIAL NO. 1GBJC34K8LE138924 DB-361	ADMINISTRATION NO. 55029 gas card #			
ORGANIZATION NAME <i>M 1012</i>	ACTION	TIME	MILES	HOURS	FUEL <i>10 gal</i>	OIL
1ST OPERATOR (Last Name, First, M.I.)	IN	<i>1600</i>	<i>628</i>		REPORT TO (Last Name, First, M.I.) <i>Dorothy Gordon</i>	
OPERATOR'S SIGNATURE <i>[Signature]</i>	OUT	<i>0745</i>	<i>495</i>		DISPATCHER'S SIGNATURE <i>[Signature]</i>	
	TOTAL		<i>133</i>			
2D OPERATOR (Last Name, First, M.I.)	IN				REPORT TO (Last Name, First, M.I.)	
OPERATOR'S SIGNATURE	OUT				DISPATCHER'S SIGNATURE	
	TOTAL					
3D OPERATOR (Last Name, First, M.I.)	IN				REPORT TO (Last Name, First, M.I.)	
OPERATOR'S SIGNATURE	OUT				DISPATCHER'S SIGNATURE	
	TOTAL					
4TH OPERATOR (Last Name, First, M.I.)	IN				REPORT TO (Last Name, First, M.I.)	
OPERATOR'S SIGNATURE	OUT				DISPATCHER'S SIGNATURE	
	TOTAL					

DESTINATION	TIME		RELEASED BY (Signature)	REMARKS
	ARRIVE	DEPART		
FROM 1. Fort Monmouth ¹⁰¹²	0800	8:15		Vehicle has been
TO 2. Officer's Club	0830	0900		checked and
TO 3. Bayonne	1100	1400		filled with fuel
TO 4. Fort Monmouth	1600			
TO 5.				
TO 6.				
TO 7.				
TO 8.				
TO 9.				
TO 10.				
TO 11.				
TO 12.				
TO 13.				
TO 14.				
TO 15.				
TO 16.				

MOTOR EQUIPMENT UTILIZATION RECORD

DATE (YYMMDD) <i>Sept 10 2001</i>	TYPE OF EQUIPMENT 90 Chevy Box Truck	REGISTRATION NO./SERIAL NO. 1GBJC34K8LE138924 DB-361	ADMINISTRATION NO. 55029 gas card #
ORGANIZATION NAME <i>MUR</i>	ACTION	TIME	MILES
1ST OPERATOR (Last Name, First, M.I.) <i>Therese Rita Sal</i>	IN	<i>1630</i>	<i>496</i>
OPERATOR'S SIGNATURE <i>A. [Signature]</i>	OUT	<i>0800</i>	<i>400</i>
2D OPERATOR (Last Name, First, M.I.)	TOTAL		<i>95</i>
OPERATOR'S SIGNATURE			
3D OPERATOR (Last Name, First, M.I.)			
OPERATOR'S SIGNATURE			
4TH OPERATOR (Last Name, First, M.I.)			
OPERATOR'S SIGNATURE			

FUEL *15 gal* OIL *1 qt*

REPORT TO (Last Name, First, M.I.)
Dorothy Gordon

DISPATCHER'S SIGNATURE
x Dorothy [Signature]

REPORT TO (Last Name, First, M.I.)

DISPATCHER'S SIGNATURE

REPORT TO (Last Name, First, M.I.)

DISPATCHER'S SIGNATURE

REPORT TO (Last Name, First, M.I.)

DISPATCHER'S SIGNATURE

DESTINATION	TIME		RELEASED BY (Signature)	REMARKS
	ARRIVE	DEPART		
FROM 1. <i>FT Murrells Sp. 1010</i>	<i>1630</i>	<i>0815</i>		
TO 2. <i>FT Dix.</i>	<i>1100</i>	<i>1200</i>		
TO 3. <i>FT Murrells Sp.</i>	<i>1345</i>	<i>1400</i>	<i>Ad [Signature]</i>	<i>Need 21 gal 6AC</i>
TO 4.				
TO 5.				
TO 6.				
TO 7.				
TO 8.				
TO 9.				
TO 10.				
TO 11.				
TO 12.				
TO 13.				
TO 14.				
TO 15.				
TO 16.				

ALL fluids has been checked

[Signature]

MO [Signature]

VEHICLE MAINTENANCE HISTORY
90 Chevy Box Truck 1GBJC34K8LE138924

Operation Inspection List (to be completed at every
mileage maintenance inspection)

	<u>DATE</u>
Accident Damage	_____
Other Damage	_____
Leaks	_____
Tires, Tracks wheel	_____
Fuel, oil, coolant	_____
Battery	_____
Horn, Safety Devices	_____
Lights, Reflectors Glass	_____
Instruments	_____
Windshield wipers	_____
Communication equipment	_____
Cargo, mounted equipment	_____
Steering	_____
Belts/pulleys	_____
Brakes	_____
Power unit/engine	_____
Accident Report Form	_____

SCHEDULED MAINTENANCE PER MILEAGE OF VEHICLE

5000

Rotate tires

Lubricate steering linkage
suspension

drive shaft U-joint if equipped
with grease fittings

Inspect exhaust system for leaks
damage or loose parts

Remove any foreign material trapped
by exhaust system shielding.

Lubricate rear drive shaft double cardan joint centering
ball

1/15/91

10,000

Change engine oil

Replace oil filter

3/10/92
"

15,000

Change engine oil

Replace Oil filter

Inspect engine cooling system,
hoses, and clamps

Rotate tires

Inspect and lubricate automatic
transmission shift leakage

Lubricate steering linkage
suspension

Drive shaft U-joint is equipped
with grease fittings

Inspect exhaust system for leaks,
damage or loose parts

Remove any foreign material trapped
by exhaust system

Lubricate rear drive shaft double
cardan joint centering ball.

6/12/92

"

"

"

"

"

"

N/A

"

N/A

20,000

Change engine oil

Replace oil filter

9/15/92

"

25,000

Change engine oil

Replace oil filter

Inspect engine cooling system,
hoses, and clamps

1/12/93

"

"

Replace clamps.

Check coolant strength every 15,000 miles or 12 months

12/12

Rotate tires

11/12

Inspect and lubricate automatic transmission shift leakage

11/12/93

Lubricate steering linkage suspension

12/12

Drive shaft U-joint if equipped with grease fittings

12/12

Inspect exhaust system for leaks, damage to loose parts

12/12

Remove any foreign material trapped by exhaust system shielding

12/12

11/12/93

12/12

12/12

12/12

30,000

Change engine oil

2/10/94

Replace oil filter

11

Inspect engine cooling system, hoses, and clamps

11

Check coolant strength every 15,000 miles or 12 months

11

Rotate tires

2/10/94

Inspect and lubricate automatic transmission shift leakage

Lubricate steering linkage suspension

Drive shaft U-joint if equipped with grease fittings

Inspect exhaust system for leaks, damage to loose parts

Remove any foreign material trapped by exhaust system shielding

32,606

35,000

Change engine oil

Replace oil filter

Inspect engine cooling system, hoses, and clamps

Check coolant strength every 15,000 miles or 12 months

Rotate tires

Inspect and lubricate automatic transmission shift leakage

Lubricate steering linkage suspension

Drive shaft U-joint if equipped with grease fittings

Inspect exhaust system for leaks,
damage to loose parts
Remove any foreign material trapped
by exhaust system shielding

40,000

Change engine oil
Replace oil filter
Inspect engine cooling system,
hoses, and clamps
Check coolant strength every 15,000
miles or 12 months
Rotate tires
Inspect and lubricate automatic
transmission shift leakage
Lubricate steering linkage
suspension
Drive shaft U-joint if equipped
with grease fittings
Inspect exhaust system for leaks,
damage to loose parts
Remove any foreign material trapped
by exhaust system shielding

45,000

Change engine oil
Replace oil filter
Inspect engine cooling system,
hoses, and clamps
Check coolant strength every 15,000
miles or 12 months
Rotate tires
Inspect and lubricate automatic
transmission shift leakage
Lubricate steering linkage
suspension
Drive shaft U-joint if equipped
with grease fittings
Inspect exhaust system for leaks,
damage to loose parts
Remove any foreign material trapped
by exhaust system shielding

50,000

Change engine oil
Replace oil filter

Drive shaft U-joint if equipped
with grease fittings
Inspect exhaust system for leaks,
damage to loose parts
Remove any foreign material trapped
by exhaust system shielding
